

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

69P



**THE
PLANT DISEASE REPORTER**
ISSUED BY
THE OFFICE OF MYCOLOGY AND DISEASE SURVEY

Supplement 57

Index to Supplements 52-56

December 31, 1927



**BUREAU OF
PLANT INDUSTRY**
UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES
IN
PLANT DISEASE REPORTER
SUPPLEMENTS LII--LVI, 1927

Plant Disease Reporter
Supplement 57

December 31, 1927

Prepared by Mary G. Van Meter and Rosella C. Loftus

- Acanthorhynchus vaccinii*, cranberry, 91.
Acrothecium sp., rice, 187.
Actinomyces scabies, beet, 325.
 potato, 221.
 radish, 288.
 turnip, 288.
Aecidium myosotidis, *Myosotis virginica*,
 382.
Albugo candida, mustard, 288.
 radish, 288.
Sisymbrium altissimum, 384.
Sophia filipes, 384.
 turnip, 288.
ipomoeae-panduranae, *Ipomoea* spp., 370.
 sweet potato, 270.
tragopogonis, salsify, 332.
Aleurodiscus macrodeus, *Fraxinus* sp., 350.
Salix spp., 356.
subraentatus, *Picea sitchensis*, 339.
Pseudotsuga douglasii, 344.
Alternaria allii, onion, 280.
brassicae, American broccoli, 286.
 broccoli, 286.
 cabbage, 285.
 horseradish, 287.
citri, citrus, 97.
 lemon, 97.
 navel orange, 97.
crassa, *Datura stramonium*, 381.
fasciculata, bean, 277.
herculea, horseradish, 287.
solani, eggplant, 327.
 potato, 219, 407.
 tomato, 255, 410.
 sp., *Acer palmatum*, 346.
 cotton, 310.
 flax, 187.
 pepper, 330.
 plum, 68.
Symphoricarpos racemosus, 377.
 panax, ginseng, 328.
 Ammoniation, grapefruit, 100.
 orange, 100.
Amphisphaeria pelorospora, *Nyssa* sp.,
 352.
Aphanomyces euteiches, pea, 305.
 raphani, radish, 288.
Aphelenchus sp., *Dahlia* sp., 365.
zinnia elegans, 378.
subtenuis, *Narcissus* sp., 373.
Aplanobacter insidiosum, alfalfa, 193.
michiganense, tomato, 265.
stewartii, corn, 185.
Arceuthobium americanum (see *Razoumofksya americana*), 340.
Armillaria mellea, apple, 36.
 apricot, 71.
Cedrus deodara, 336.
 cherry, 71.
 citrus, 99.
Ligustrum sp., 372.
 peach, 65.
 pear, 48.
Phoenix spp., 376.
Pinus ponderosa, 341.
 plum, 68.
Quercus spp., 355.
Syringa vulgaris, 377.
Zantedeschia aethiopica, 378.
Ascochyta baptisiae, *Baptisia leucantha*, 380.
compositarum, *Eupatorium purpureum*,
 381.
gossypii, cotton, 309.
imperfecta, alfalfa, 197.
pisi, *Lathyrus odoratus*, 371.
Lathyrus palustris, 382.
rhei, rhubarb, 331.
 spp., pea, 305.
thaspii, *Cicuta maculata*, 381.
saniculae, *Sanicula gregaria*,
 384.
Ascospora rubi, raspberry, 86.
Aspergillus niger, citrus, 97,
 grape, 75.
 onion, 280.

sp., corn, 186.

Asteroma lactucae, *Lactuca canadensis*, 382.

Auerswaldia quercicola, *Quercus palustris*,
354.

B

Bacillus amylovorus, apple, 23, 416.

apricot, 71.

pear, 45, 419.

Photinia arbutifolia, 376.

quince, 50.

Sorbus sp., 357.

carotovorus, carrot, 326.

cauliflower, 285.

celery, 302.

Iris sp., 370.

lettuce, 303.

muskmelon, 293.

onion, 281.

parsnip, 329.

potato, 248.

squash, 296.

tobacco, 315.

turnip, 288.

phytophthorus, potato, 227, 405.

solanacearum, tomato, 410.

tracheiphilus, cucumber, 293.

muskmelon, 289.

squash, 296.

watermelon, 299.

Bacterial leaf spot, *Berberis thunbergii*,
360.

Cocos plumosus, 365.

horseradish, 287.

Washingtonia sp., 378.

Bacterial wilt, *Begonia* sp., 360.

Bacterium andropogoni, sorghum, 191.

angulatum, tobacco, 312.

apii, celery, 302.

atrofaciens, wheat, 151.

beticolum, sugar beet, 324.

campestre, American broccoli, 286.

broccoli, 286.

cabbage, 283.

cauliflower, 285.

rape, 288.

cannae, *Canna indica*, 363.

cerasi, apricot, 71.

cherry, 70.

peach, 65.

citrarefaciens (see *B. citriputeale*),
94.

citri, citrus, 93.

orange, 93.

citriputeale, lemon, 94.

navel orange, 94.

coronafaciens, oats, 175.

cucurbitae, pumpkin, 296.

squash, 296.

delphinii, *Delphinium* sp., 366.

dissolvens, corn, 186.

erodii, *Pelargonium* sp., 375.

flaccumfaciens, bean, 272.

glycineum, soybean, 202.

gummisudans, *Gladiolus* sp., 368.

holci, grasses, 191.

Holcus sorghum sudanensis, 204.

spp., 191.

sorghum, 191.

juglandis, Persian walnut, 107.

lachrymans, cucumber, 294.

maculicolum, cabbage, 285.

cauliflower, 285.

malvacearum, cotton, 308, 411.

marginatum, *Gladiolus* sp., 368.

medicaginis, alfalfa, 193.

melleum, tobacco, 315.

pelargoni, *Pelargonium* sp., 375.

phaseoli, bean, 272, 412.

cowpea, 201.

soybean, 202.

pisi, pea, 306.

pruni, apricot, 71.

cherry, 70.

peach, 57.

plum, 68.

pueriae, kudzu, 203.

savastanoi, olive, 102.

solanacearum, eggplant, 327.

pepper, 330.

potato, 234.

tobacco, 315.

tomato, 261.

tabacum, tobacco, 312.

translucens, barley, 168.

undulosum, wheat, 151.

trifoliorum, clover, 199.

tumefaciens; apple, 28.

apricot, 71.

beet, 326.

blackberry, 89.

Euonymus sp., 368.

grape, 77.

peach, 65.

pear, 48.

pecan, 106.

raspberry, 87.

- sugar beet, 324.
 vascularum, sugar cane, 320.
 vesicatorium, pepper, 330.
 tomato, 263.
 vignae, cowpea, 201.
 lima bean, 278.
 viridifaciens (see *B. vignae*), 278.
 vitians, lettuce, 303.
 sp., filbert, 108.
Gladiolus sp., 369.
Nymphaea sp., 374.
Syringa vulgaris, 377.
Bagnisiopsis eucalypti, *Eucalyptus* sp., 349.
Basisporium gallarum, corn, 186.
Bifusella abietis, *Abies arizonica*, 335.
Abies lasiocarpa, 335.
 Bitter pit, apple, 34.
 pear, 49.
 Black-end rot, pear, 49.
 Black heart, celery, 302.
 potato, 249.
 Black pit, pecan, 106.
 Blast, oats, 175.
 Blight, *Antirrhinum majus*, 359.
 citrus, 99.
 lemon, 99.
 Blossom drop, tomato, 265.
 Blossom-end rot, tomato, 264.
 watermelon, 300.
Botryosphaeria ribis, currant, 90.
chromogena, *Berberis* sp., 360.
Caesalpinia pulcherrima, 361.
Cassia sp., 363.
Laguncularia racemosa, 382.
Liquidambar styraciflua, 351.
Magnolia sp., 351.
 peach, 65.
Quercus spp., 355.
Ricinus communis, 383.
Salix spp., 356.
Sambucus sp., 356.
 sp., orange, 96.
Botrytis cinerea, *Callistephus chinensis*, 361.
 cherry, 71.
 citrus, 97, 98.
 feijoa, 103.
 gooseberry, 90.
 paeoniae, *Paeoniae* sp., 374.
 tulipae, *Tulipa* sp., 377.
 sp., apple, 39.
Begonia sp., 359.
Camellia japonica, 362.
Chrysanthemum spp., 363.
 eggplant, 327.
Erythronium albidum, 381.
Gladiolus sp., 369.
 grape, 75.
 lettuce, 303.
 narcissus, 373.
 onion, 280.
Paeonia sp., 374.
 peanut, 330.
Pelargonium sp., 375.
 pepper, 330.
Podophyllum peltatum, 383.
Pseudotsuga douglasii, 344.
 soybean, 202.
 strawberry, 80.
Symplocarpus foetidus, 384.
Zinnia elegans, 378.
Bremia lactucae, lettuce, 303.
 Brown blotch, pear, 48.
 Brown root rot, tobacco, 315.
 Brown rot, lettuce, 304.
 Bud blast, *Calendula officinalis*, 361.
 C
Caconema radiceicola, alfalfa, 197.
Antirrhinum majus, 359.
 bean, 277.
 beet, 326.
 cabbage, 285.
 carrot, 326.
 celery, 302.
Chenopodium album, 306.
 cotton, 309.
 cowpea, 201.
 cucumber, 296.
 fig, 103.
Fraxinus velutina, 350.
 grape, 77.
Iris sp., 370.
 kudzu, 204.
Lathyrus odoratus, 372.
Magnolia grandiflora, 351.
Mesembryanthemum crystallinum, 373.
 muskmelon, 293.
 mustard, 288.
 okra, 329.
 onion, 281.
Paeonia sp., 374.
 pea, 306.
 peach, 65.
Polygonum convolvulus, 306.
 potato, 248.

- spinach, 332.
 squash, 297.
 sugar beet, 324.
 sugar cane, 320.
 sweet potato, 270.
 tobacco, 316.
 tomato, 265.
Tradescantia fluminensis, 377.
 turnip, 289.
 watermelon, 299.
- Calyptospora columnaris*; *Vaccinium* sp., 385.
- Canker, *Populus* spp., 353.
 sweet clover, 200.
- Capnodium citricolum*, citrus, 99.
 sp., *Pinus glabra*, 340.
 watermelon, 299.
- Cenangium abietis*, *Pinus excelsa*, 340.
piniphilum, *Pinus monticola*, 340.
- Cephaleuros virescens*, avocado, 101.
 citrus, 99.
- Cephalosporium acremonium*, corn, 186.
- Ceratostomella fimbriata*, sweet potato, 267, 270.
- Cercoseptoria minuta*, *Campanula aparinoides*, 380.
- Cercospora althaeina*, *Althaea rosea*, 358.
apii, celery, 301.
 pastinacae, parsnip, 329.
 armoraciae, horseradish, 287.
 asparagi, asparagus, 325.
 beticola, beet, 326.
 mangel wurzel, 328.
 spinach, 332.
 sugar beet, 324.
 swiss chard, 333.
- bloxami, Chinese cabbage, 287.
- capsici, pepper, 330.
- caulicola, asparagus, 325.
- citrullina, watermelon, 299.
- clavata, *Asclepias tuberosa*, 380.
- cruenta, cowpea, 201.
 lima bean, 278.
- dubia, *Chenopodium hybridum*, 380.
- fusca, pecan, 106.
- hibisci, okra, 329.
- hydrangeae, *Hydrangea* sp., 370.
- kellermanii, *Althaea rosea*, 358.
- leptandrae, *Vernonia* sp., 385.
- lythracearum, pomegranate, 104.
- mali, apple, 39.
- medicaginis, alfalfa, 197.
- nicotianae, tobacco, 316.
- perfoliata, *Eupatorium purpureum*, 381.
- personata, peanut, 330.
- rabi, blackberry, 89.
 dewberry, 89.
- simulata, *Cassia marilandica*, 380.
- vaginae, sugar cane, 320.
- vernoniae, *Vernonia* sp., 385.
- viciae, *Lathyrus ochroleucus*, 382.
- violae, *Viola* sp., 378.
- sp., asparagus, 325.
Chrysanthemum spp., 363.
- cotton, 310.
- fig, 103.
- muskmelon, 293.
- pumpkin, 296.
- soybean, 202.
- Cercospora albo-maculans*, cabbage, 285.
 Chinese cabbage, 287.
 turnip, 289.
- nivea, *Solidago juncea scaberrima*, 384.
Solidago uliginosa, 384.
- persicae, peach, 65.
- Cerotelium fici*, fig, 103.
- Ceuthospora lunata*, cranberry, 91.
 populi; *Populus grandidentata*, 352.
- Chaconia texensis*, *Phoradendron macrophyllum*, 383.
- Chlorosis, apple, 42.
 apricot, 72.
 bean, 277.
 grape, 77.
 lettuce, 304.
 muskmelon, 293.
 pea, 307.
 peach, 66.
 peanut, 330.
 pear, 49.
- Pelargonium* sp., 375.
- plum, 69.
- strawberry, 80.
- tobacco, 316.
- Choanephora cucubitarum*, cucumber, 296
- Chrysomyxa cassandrae* (see *Melampsopsis cassandrae*), 339.
- Cintractina caricetorum*, *Carex pennsylvanica*, 380.
- Cladosporium carpophilum*, almond, 108.
 apricot, 71.
 peach, 56, 417.
 cucumerinum, cucumber, 296.
 muskmelon, 293.
 fulvum, tomato, 264.
- herbarum, *Coreopsis* sp., 365.

- wheat, 154.
 paeoniae, *Paeonia* sp., 374.
 vignae, cowpea, 201.
 sp., *Chrysanthemum* spp., 363.
 pepper, 330.
- Claviceps purpurea*, barley, 167.
Lolium perenne, 205.
Phalaris arundinacea, 205.
 rye, 157, 397.
 wheat, 149.
- Clitocybe monadelpha*, grape, 77.
 guava, 103.
Ligustrum sp., 372.
tabescens, *Casuarina equisetifolia*,
 348.
- Coccomyces hiemalis*, cherry, 70, 422.
kerriae, *Kerria japonica*, 371.
prunophorae, plum, 68.
 sp., apricot, 72.
- Coleosporium elephantopodis*, *Pinus* spp.,
 344.
helianthi, *Helianthus strumosus*, 382.
solidaginis, *Pinus resinosa*, 341.
- Colletotrichum antirrhini*, *Antirrhinum*
majus, 359.
circinans, onion, 281.
cyclamenae, *Cyclamen* sp., 365.
erumpens, rhubarb, 331.
falcatum, sugar cane, 320.
gloeosporioides, avocado, 101.
 grapefruit, 99.
 mango, 102.
gossypii, cotton, 411.
graminicolum, *Agropyron repens*, 205.
Agrostis palustris, 205.
 barley, 167.
Bromus secalinus, 205.
Dactylis glomerata, 205.
Festuca elatior, 205.
Holcus sorghum sudanensis, 205.
 oats, 176.
Poa pratensis, 205.
 rye, 157.
 wheat, 149.
lagenarium, cucumber, 295.
Cucurbita sp., 365.
 muskmelon, 290.
 watermelon, 298.
lindemuthianum, bean, 271, 412.
 lima bean, 278.
linicolum, flax, 188.
nigrum, pepper, 331.
omnivorum, *Aspidistra lurida*, 359.
phomoides, tomato, 265.
- spinaciae*, spinach, 332.
trifolii, alfalfa, 197.
violae tricoloris, *Viola tricoloris*,
 378.
 sp., coconut, 108.
 fig, 103.
Magnolia grandiflora, 351.
 onion, 281.
 pepper, 331.
Phoenix spp., 376.
 strawberry, 80.
Washingtonia sp., 378.
- Coniophora corrugis*, *Abies lasiocarpa*,
 336.
Juniperus spp., 337.
Picea engelmannii, 338.
Pinus ponderosa, 341.
flavomarginata, *Quercus garryana*, 354.
- Coniothyrium pirinum*, apple, 17.
 Cork, apple, 42.
 Corky core, apple, 42.
Corticium argentatum, *Salix* spp., 356.
atkinsonii, *Populus* spp., 353.
bombycinum, *Acer* sp., 346.
Alnus spp., 347.
Betula spp., 347.
Populus spp., 353.
Salix spp., 356.
Tilia spp., 357.
canadense, *Pinus strobus*, 342.
ermineum, *Picea sitchensis*, 339.
Thuja plicata, 345.
fuscostratum, *Pinus strobus*, 342.
galactinum, apple, 40.
granulatum, *Populus trichocarpa*, 353.
incanum, *Acer* sp., 346.
litschaueri, *Alnus* spp., 347.
ochrofartum, *Populus trichocarpa*,
 353.
overholtsii, *Pinus rigida*, 342.
pilosum, *Alnus* spp., 347.
Tsuga sp., 345.
Vitis sp., 385.
pseudotsugae, *Pseudotsuga douglasii*,
 344.
Tsuga canadensis, 345.
racemosum, *Abies grandis*, 335.
Larix occidentalis, 338.
Pseudotsuga douglasii, 344.
Thuja plicata, 345.
rubellum, *Quercus gambelii*, 354.
Tilia spp., 357.
Vitis sp., 385.
rubicundum, *Picea sitchensis*, 339.

- salmonicolor, *Amherstia* sp., 378.
 apple, 39.
 fig, 103.
 spretum, *Fraxinus oregona*, 349.
 stevensii, apple, 40.
 subalbum, *Alnus* spp., 347.
 subcinereum, *Cornus* spp., 349.
 Syringa vulgaris, 377.
 tsugae, *Tsuga canadensis*, 345.
 vagum, alfalfa, 194.
 Ampelopsis spp., 358.
 bean, 275.
 cabbage, 284.
 Callistephus chinensis, 361.
 carrot, 326.
 cauliflower, 285.
 cotton, 310.
 Dahlia sp., 365.
 Delphinium sp., 366.
 Dianthus caryophyllus, 367.
 Lathyrus odoratus, 372.
 lettuce, 303.
 Paeonia sp., 375.
 pea, 305.
 Petunia hybrida, 375.
 Pinus spp., 344.
 potato, 230.
 radish, 288.
 Sophora japonica, 377.
 sugar beet, 324.
 Thuja orientalis aurea, 345.
 tomato, 261.
 Viola tricolor, 378.
 vinosuscabens, *Picea rubra*, 339.
 Tsuga canadensis, 345.
 spp., *Pinus* spp., 344.
Coryneum beijerinckii, almond, 108.
 apricot, 71.
 peach, 60.
 follicolum, apple, 17.
 Covered smut, barley, 159.
 Cracked stem, celery, 302.
 Cracking, apple, 42.
 peach, 64.
 Crinkle joint, wheat, 155.
Cronartium cerebrum, *Pinus banksiana*,
 339.
 Pinus rigida, 342.
 Pinus taeda, 343.
 Pinus virginiana, 344.
 Quercus coccinea, 354.
 Quercus velutina, 354.
 comptoniae, *Pinus contorta*, 339.
 ribicola, *Ribes nigrum*, 383.
 strobilinum, *Quercus geminata*, 354.
 Crown rot, alfalfa, 195.
 clover, 199.
 Crown rust, oats, 168.
Cryptosporium acicolum, *Pinus palustris*, 341.
Cryptosporella viticola, grape, 77.
 Curly dwarf, tobacco, 316.
 Curly top, *Amaranthus* sp., 379.
 bean, 276.
 beet, 326.
 Callistephus chinensis, 362.
 carrot, 326.
 celery, 303.
 cucumber, 296.
 Helichrysum bracteatum, 369.
 horseradish, 287.
 mangel wurzel, 329.
 muskmelon, 293.
 peanut, 330.
 pepper, 331.
 rhubarb, 331.
 salsify, 332.
 squash, 297.
 sugar beet, 259, 322.
Cuscuta arvensis, *Chrysanthemum* spp.,
 363.
 sp., alfalfa, 197.
 Hedera helix, 369.
 onion, 281.
 tomato, 265.
Cylindrocarpon sp., *Pyrus* spp., 40.
Cylindrocladium pteridis, *Polystichum*
 adiantiforme, 383.
Cylindrosporium brassicae, turnip, 289.
 pomi (see *Phoma pomi*), 33.
 triostei, *Triostema aurantiacum*, 385.
 Triostema perfoliatum, 385.
 sp., (see *Coccomyces kerriae*), 371.
Cystothyrium abietis, *Abies lasiocarpa*,
 336.
Cystospora batata, sweet potato, 268,
 409.
Cytospora chrysosema, *Populus* spp.,
 353.
 Salix spp., 356.
 Sorbus sp., 357.
 platani, *Platanus occidentalis*,
 352.
 sp., *Acer palmatum*, 346.
 Salix discolor, 356.
 spp., 356.

D

- Damping-off, *Berberis thunbergii*, 360.
Callistephus chinensis, 362.
Dasyscypha fuscocanguinea, *Pinus monticola*, 340.
 Delayed blooming, defoliation on peach, 64.
Dendrophoma obscurans, strawberry, 80.
Diaporthe citri, grapefruit, 95.
 orange, 95.
 tangerine, 95.
 phaseolorum, lima bean, 278.
Didymellinia cocos; *Cocos alphonsei*, 364.
 iris, *Iris* sp., 370.
 Die-back, grapefruit, 100.
 orange, 100.
Dimerium juniperi, *Juniperus occidentalis*, 336.
Dimerosporium abietis, *Abies amabilis*, 335.
 Abies grandis, 335.
Diplocarpon earliana, strawberry, 79.
Diplodia gossypina, citrus, 96.
 cotton, 310.
 natalensis, citrus, 96, 98.
 tubericola, sweet potato, 270.
 zeae, corn, 182.
 sp., avocado, 101.
 coconut, 108.
 Grevillea robusta, 350.
 lemon, 98.
 mango, 102.
 onion, 281.
 orange, 98.
 sweet potato, 270.
 watermelon, 300.
Diplodiopsis robiniae, *Robinia pseudoacacia*, 355.
 Distortion of wheat heads, wheat, 155.
Dothichiza populea, *Populus* spp., 353.
Dothidella betulina, *Betula pumila*, 347.
Dothiorella ribis, lemon, 98.
 orange, 98.
 scopulina, *Sorbus scopulina*, 357.
 Dropsy, *Pelargonium* sp., 375.
 Drought die-back, apple, 42.
 Drought injury, *Callistephus chinensis*, 362.
 Drought spot, apple, 42, 43.
 Dry rot, *Gladiolus* sp., 369.
 Dwarf, loganberry, 90.
 Dwarfing, cotton, 311.

E

- Empoasca fabae*, alfalfa, 196.
Endophyllum sempervivi, *Sempervivum* sp., 376.
Endothia parasitica, *Castanea dentata*, 348.
 End rot, cranberry, 92.
Entyloma compositarum, *Eupatorium urticaefolium*, 381.
 Rudbeckia laciniata, 384.
 dahliae, *Dahlia* sp., 365.
 polysporum, *Rudbeckia hirta*, 384.
 saniculae, *Sanicula gregaria*, 384.
 sp., *Thalictrum dasycarpum*, 385.
Epicoccum glumarum, wheat, 154.
 Epiphytic higher plants, citrus, 99.
Erysiphe ambrosiae, *Ambrosia artemisiifolia*, 378.
 cichoracearum, *Callistephus chinensis*, 361.
 Chrysanthemum spp., 363.
 cucumber, 296.
 Jerusalem artichoke, 325.
 muskmelon, 291.
 Phlox spp., 375.
 Plantago major, 383.
 pumpkin, 296.
 squash, 297.
 sunflower, 204.
 watermelon, 300.
 Zinnia elegans, 378.
 graminis, *Agropyron repens*, 205.
 barley, 167.
 oats, 176.
 Poa pratensis, 205.
 rye, 158.
 wheat, 152.
 polygona, bean, 277,
 clover, 198.
 Delphinium sp., 366.
 Lathyrus odoratus, 372.
 pea, 307.
 Primula acaulis, 376.
 sp., *Cirsium arvense*, 381.
 Dahlia sp., 365.
 Exanthema, apricot, 72.
 pear, 49.
 plum, 69.
Exoascus cerasi, cherry, 71.
 communis, plum, 68.
 deformans, peach, 53, 417.
 pruni, plum, 68.
 Prunus spp., 354.

- Exobasidium vaccinii, cranberry, 91.
 Exophoma magnoliae, Magnolia grandiflora,
 351.
 Exosporium palmivorum, Kentia sp., 371.
 Phoenix spp., 376.
 sociatum, Acer sp., 347.
 sp., Quercus spp., 355.

F

- Fabraea maculata, pear, 48, 419.
 quince, 50.
 False blossom, cranberry, 92.
 False melanose, citrus, 100.
 Fasciation, Dahlia sp., 366.
 Fertilizer burn, Pinus resinosa, 341.
 Folioecellosis, citrus, 101.
 Fomes applanatus, peach, 65.
 robiniae, Robinia pseudoacacia, 355.
 Frenching, tobacco, 316.
 Frost injury, blackberry, 89.
 dewberry, 89.
 grape, 76.
 peach, 63.
 pear, 49.
 Sophora japonica, 377.
 Taxus sp., 345.
 Frost mottling, tobacco, 316.
 Fruit rots, cranberry, 92.
 Fuligo ovata, golf greens, 205.
 sp., strawberry, 80.
 Fumago vagans, pear, 48.
 Fusarium aduncisporum, bean, 274.
 lima bean, 278.
 affine, tobacco, 316.
 batatatis, sweet potato, 266, 409.
 carpineum, Hicoria cordiformis, 350.
 conglutinans, cabbage, 201.
 kohlrabi, 288.
 callistephi, Callistephus chinensis,
 361.
 Centaurea cyanus, 363.
 cubense, banana, 102.
 eumartii, potato, 233.
 hyperoxysporum, sweet potato, 266.
 lini, flax, 188.
 lycopersici, tomato, 252, 410.
 malli, onion, 280.
 martii phaseoli, bean, 274.
 lima bean, 278.
 pisi, pea, 305.
 moniliforme, corn, 184.
 niveum, watermelon, 298.

- oxysporum gladioli, Gladiolus sp.,
 369.
 nicotianae, tobacco, 316.
 potato, 405.
 vasinfectum, cotton, 307, 411.
 okra, 329.
 tracheiphilum, cowpea, 200.
 sp., Aquilegia sp., 359.
 asparagus, 325.
 barley, 168.
 blueberry, 92.
 celery, 302.
 corn, 183, 404.
 Dahlia sp., 365.
 Dianthus barbatus, 367.
 Dianthus oaryophyllus, 367.
 Gladiolus sp., 369.
 Lathyrus odoratus, 372.
 muskmelon, 293.
 Narcissus sp., 373.
 oats, 176.
 onion, 281.
 Paeonia sp., 375.
 pea, 305.
 peanut, 330.
 pepper, 330.
 Pyrus spp., 40.
 rice, 187.
 soybean, 202.
 squash, 297.
 strawberry, 80.
 Viola tricoloris, 378.
 wheat, 154.
 spp., bean, 274, 412.
 corn, 184.
 onion, 280.
 potato, 232, 233.
 spinach, 332.
 sweet potato, 270.
 Fusicladium effusum, pecan, 104.
 pisicola, pea, 307.
 Fusicoccum putrefaciens, cranberry,
 91.
 Fusicporium rubi, blackberry, 89.

G

- Gas injury, Acer sp., 347.
 Giant hill, potato, 246.
 Gibberella saubinetii, barley, 167.
 corn, 184, 403.
 oats, 176.
 rye, 158.

- wheat, 146, 395.
 spp., corn, 183, 184.
 Pyrus spp., 40.
- Gloeodes pomigena*, apple, 32.
 pear, 48.
 quince, 50.
- Gloeosporium apocryptum*, *Acer saccharum*,
 346.
caulivorum, clover, 199.
hysterioideum, *Acer saccharum*, 346.
limetticolum, lime, 99.
musarum, banana, 102.
niveum, *Ilex verticillata*, 370.
nymphaearum, *Nymphaea* sp., 374.
perennans, apple, 40.
piperatum, pepper, 330, 331.
saccharini, *Acer* sp., 347.
septorioides, *Quercus alba*, 354.
 sp., *Cinnamomum camphora*, 349.
Euonymus sp., 368.
- Glomerella cingulata*, apple, 18, 415.
 grape, 77.
 guava, 103.
Ligustrum sp., 372.
 papaya, 103.
 pepper, 331.
vacinii, cranberry, 91.
glycines, soybean, 202.
gossypii, cotton, 308.
piperata, pepper, 331.
 sp., pepper, 331.
- Gnomonia caryae*, *Hicoria alba*, 350.
Hicoria spp., 350.
leptostyla, *Juglans cinerea*, 351.
Juglans nigra, 351.
 Persian walnut, 107.
ulmea, *Ulmus* sp., 357.
veneta, *Platanus* sp., 352.
- Graphiola phoenicis*, date, 103.
- Graphium geranii*, *Geranium molle*, 381.
hamamelidis, *Hammelis virginiana*,
 350.
sorbi, *Sorbus americana*, 357.
- Greasy spot (see false melanose), 100.
- Guignardia bidwellii*, *Ampelopsis* spp.,
 358.
 grape, 72, 414.
boltoniae, *Boltonia diffusa*, 380.
loniceræ, *Lonicera hispidula*, 372,
 382.
vaccinii, cranberry, 91.
- Gummosis, citrus, 100.
 lemon, 100.
 orange, 100.
- Gymnoconia interstitialis*, blackberry, 88.
 dewberry, 89.
 raspberry, 87.
- Gymnosporangium betheli*, *Crataegus*
douglasi, 349.
Juniperus scopulorum, 337.
clavariaeforme, *Juniperus* spp., 337.
germinale, *Juniperus* spp., 338.
 quince, 50.
globosum, *Crataegus coccinea*, 349.
 pear, 48.
juniperi-virginianæ, apple, 13.
kernianum, pear, 48.
nidus-avis, *Juniperus* spp., 338.
 sp., apple, 415.
- H
- Hail injury, peach, 64.
 pear, 49.
Pinus strobus, 342.
- Haplosporella lathamii*, *Myrica carolin-*
ensis, 351.
- Heat canker, flax, 188.
- Heat necrosis, potato, 249.
- Helminthosporium avenae* (see *H. sp.*), 176.
californicum, barley, 166.
gossypii, cotton, 311.
gramineum, barley, 164, 399.
inaequalis, cranberry, 91.
sacchari, sugar cane, 320.
sativum, barley, 165.
 rye, 159.
 wheat, 153.
turcicum, *Holcus sorghum sudanensis*,
 205.
 sorghum, 191.
vagans, *Poa pratensis*, 205.
 sp., oats, 176.
- Heterodera radiculicola*, cotton, 411.
schachtii, sugar beet, 323.
 sugar cane, 320.
 wheat, 155.
- Heterosporium magnoliae*, *Magnolia gran-*
diflora, 351.
- Hexatylus viviparus*, *Gladiolus* sp., 369.
- Hopperburn, potato, 246, 407.
- Hollow stem, tomato, 265.
- Hormodendron cladosporioides*, barley, 168.
 rye, 159.
 wheat, 155.
- Hypholoma sublateritium*, apple, 36.
- Hypochnus ochroleucus* (see *Corticium*
stevensii), 40.

- Hypoderma brachysporum*, *Pinus nigra*, 341.
deformans, *Pinus ponderosa*, 341.
hedgcockii, *Pinus caribaea*, 339.
Pinus clausa, 339.
Pinus echinata, 339.
Pinus palustris, 341.
Pinus rigida, 342.
Pinus virginiana, 344.
lethale, *Pinus echinata*, 339.
Pinus rigida, 342.
Pinus serotina, 342.
Pinus taeda, 343.
Pinus virginiana, 344.
Pinus spp., 344.
Hypodermella abietis concoloris, *Abies lasiocarpa*, 336.
laricis octospora, *Larix occidentalis*, 338.
montivaga, *Pinus contorta*, 339.
Hyospila californica, *Alnus rhombifolia*, 347.
Alnus rubra, 347.
Hysterographium cocos, *Cocos alphonsei*, 364.

I

- Incompatibility of walnuts, apple, 43.
 Influence of length of day, *Chrysanthemum spp.*, 364.
 Internal breakdown, apple, 43.
 Internal browning, apple, 43.
 watermelon, 300.
 Internal browning and shrivel, plum, 69.
 Internal brown spot, potato, 249.
IrpeX tulipiferae, *Laburnum vulgare*, 371.
Isariopsis griseola, bean, 277.

J

- Jonathan spot, apple, 34.

K

- Kernel spot, pecan, 106.
 King David spot, apple, 35.
Kuehneola gossypii, cotton, 311.
Kunkelia nitens, blackberry, 88.

L

- Leaf blight, *Calendula officinalis*, 361.
 Leaf curl, raspberry, 83, 423.
 Leaf drop, *Berberis thunbergii*, 360.

- Leaf roll, potato, 238, 241, 405.
 Leaf rust, barley, 159.
 wheat, 115, 120.
 Leaf scorch, *Acer sp.*, 347.
 pear, 49.
 Lemoine disease, *Paeonia sp.*, 375.
Lentinus lepideus, *Pinus ponderosa*, 341.
Leptosphaeria coniothyrium, apple, 40.
 raspberry, 87.
 sacchari, sugar cane, 320.
Leptothyrium dryinum, *Quercus alba*, 354.
 pomi, apple, 32.
 pear, 48.
 Lichen leaf spot, *Magnolia grandiflora*, 351.
 Lightning injury, cabbage, 285.
 tomato, 265.
 Little leaf, peach, 66.
 pecan, 106.
 Little peach, peach, 62, 417.
 Loose smut, barley, 159.
 wheat, 115, 119, 131.
Lophodermium australe, *Pinus echinata*, 339.
Pinus glabra, 340.
Pinus palustris, 341.
Pinus resinosa, 341.
Pinus taeda, 343.
laricis, *Larix lyallii*, 338.
 Losses, wheat, 115.

M

- Macrophoma boltoniae*, *Boltonia dif-fusa*, 380.
candollei, *Buxus sempervirens*, 360.
 fici, fig, 103.
 phaseoli, bean, 275.
 sp., *Celtis sp.*, 349.
Salix spp., 356.
Macrophomopsis draceanae, *Iris sp.*, 370.
Macrosporium abutilonis, *Abutilon theophrasti*, 379.
 carotae, carrot, 326.
 cucumerinum, cucumber, 296.
 muskmelon, 289.
 nigricantium, cotton, 311.
 porri, onion, 281.
sarcinula parasiticum, onion, 281
 sp., alfalfa, 197, 199.
 clover, 199, 200.

- Gladiolus* sp., 369.
 oats, 176.
 tobacco, 316.
 tomato, 265.
 yautia, 333.
 Malnutrition, cotton, 310.
Mamiania fimbriata, *Carpinus caroliniana*, 348.
Marasmius, sugar cane, 319.
 Marbling, tobacco, 316.
 Marcel, peach, 66.
 Marl disease, celery, 303.
Marssonina populi, *Populus tremuloides*, 353.
 Populus spp., 353.
 potentillae, *Potentilla canadensis*, 383.
Marssonina panattoniana, lettuce, 303.
 Measles, apple, 43.
Melampsora albertensis, *Populus balsamifera*, 352.
 Populus tremuloides, 353.
 humboldtiana, *Salix* spp., 356.
 lini, *Cathartolinum sulcatum*, 380.
 flax, 188.
 medusae, *Populus grandidentata*, 352.
 sp., *Salix angustifolia*, 356.
 Salix monticola, 356.
Melampsoropsis cassandrae, *Picea mariana*, 339.
Melanconia decoraensis, *Betula alba*, 347.
 juglandis, *Juglans cinerea*, 351.
 stillbostoma, *Betula alba*, 347.
Melanconium bicolor, *Ostrya virginiana*, 352.
Melanopichium austro-americanum, *Polygonum* sp., 383.
Melasmia ulmicola, *Ulmus racemosa*, 357.
Meliola mangierae, mango, 102.
 pinicola, *Pinus echinata*, 339.
Microdiplodia sp., *Kentia* sp., 371.
Microsphaera alni, *Lathyrus odoratus*, 372.
 pecan, 105.
 Platanus sp., 352.
 Rhamnus alnifolia, 355.
 vaccinii, *Catalpa* sp., 348.
 diffusa, *Symphoricarpos racemosus*, 377.
Microstroma juglandis, *Hicoria cordiformis*, 350.
 Mild mosaic, potato, 238.
Monilochaetes infuscans, sweet potato, 268.
 Monkey face, olive, 102.
Monochaetia desmazierii, *Quercus velutina*, 354.
 Mosaic, apple, 43.
 bean, 276, 412.
 cabbage, 285.
 Calendula officinalis, 361.
 celery, 303.
 clover, 199.
 cotton, 311.
 cowpea, 201.
 cucumber, 294.
 Dahlia sp., 366.
 dewberry, 89.
 eggplant, 327.
 lettuce, 304.
 muskmelon, 290.
 pea, 307.
 pepper, 331.
 Petunia hybrida, 375.
 Phytolacca americana, 383.
 Phytolacca decandra, 291.
 Phytolacca sp., 383.
 potato, 239, 405.
 raspberry, 83, 423.
 sorghum, 191.
 soybean, 202.
 squash, 297.
 strawberry, 80.
 sugar cane, 317.
 sweet potato, 269.
 tobacco, 314.
 tomato, 260.
 Vigna catjang, 201.
 watermelon, 300.
 Mottle leaf, citrus, 101.
Mycogone perniciosus, mushroom, 329.
Mycosphaerella citrullina, watermelon, 300.
 fragariae, strawberry, 79.
 gossypina, cotton, 311.
 lethalis, clover, 200.
 pachystimae, *Pachistima myrsinites*, 374.
 rubi, blackberry, 89.
 dewberry, 89.
 loganberry, 90.
 raspberry, 87.
 sentina, pear, 48.
 sp., vetch, 203.
Myxosporium corticolum, apple, 40.
 sp., *Kerria japonica*, 371.

- Nectria galligena*, apple, 40.
 pear, 48.
rousselliana, *Buxus sempervirens*, 360.
 sp., *Betula* spp., 348.
Cydonia japonica, 365.
Pyrus spp., 40.
 Needle blight, *Pinus strobus*, 342.
Nematodes, *Chrysanthemum* spp., 364.
Neofabraea malicorticis, apple, 40.
 Net necrosis, potato, 249.
 New disease, blueberry, 92.
Nummularia discreta, apple, 30.

O

- Oedema*, *Begonia* sp., 360.
Oidium euonymi-japonici, *Euonymus* sp.,
 368.
 sp., *Cichorium intybus*, 380.
Oligostroma acicola, *Pinus palustris*,
 341.
Oospora citri-aurantii, lemon, 97.
lactis parasitica, tomato, 265.
Ophiobolus graminis, wheat, 153.
Ovularia decipiens, *Ranunculus acris*,
 383.
obliqua, *Rumex* sp., 384.
Ozonium omnivorum, alfalfa, 197.
Althaea rosea, 358.
 apple, 36.
 apricot, 72.
 blueberry, 93.
 castor bean, 327.
Chrysanthemum spp., 364.
 cotton, 309.
 cowpea, 202.
 fig, 103.
 grape, 77.
 lettuce, 303.
 mulberry, 93.
 okra, 329.
 peach, 65.
 peanut, 330.
 pear, 48.
 pecan, 106.
 pepper, 331.
Populus spp., 353.
Schinus molle, 357.

P

- Panus* sp., peach, 65.
 Papery leaf spot, ginseng, 328.

- Paradichlorobenzene injury*, peach,
 66.
 Pedicel canker, grape, 77.
Penicillium digitatum, lemon, 96.
expansum, feijoa, 103.
italicum, citrus, 96.
roseum, lemon, 97.
 sp., apple, 40.
 cranberry, 91.
Gladiolus sp., 369.
Peridermium coloradense, *Picea engel-*
manni, 338.
ornamentale, *Abies lasiocarpa*, 336
 sp., *Pinus sylvestris*, 342.
Peronospora effusa, *Amaranthus* sp.,
 379.
 spinach, 332.
leptosperma, *Artemisia ludovi-*
ciana, 380.
myosotidis, *Myosotis virginica*,
 382.
parasitica, *Arabis laevigata*, 379.
 cabbage, 284.
 cauliflower, 285.
 mustard, 288.
Sophia filipes, 384.
potentillae, *Agrimonia grypose-*
pala, 379.
schleideni, onion, 279.
sojaj, soybean, 202.
sordida, *Scrophularia leporella*,
 384.
trifoliorum, alfalfa, 192.
viciae, pea, 307.
Pestalozzia guepini, avocado, 101.
 sp., avocado, 101.
 coconut, 108.
 cranberry, 91.
Pezizella lythri, raspberry, 87.
minuta, *Pinus echinata*, 340.
Pinus rigida, 342.
Pinus taeda, 343.
Pinus virginiana, 344.
Phacidium abietinellum, *Abies bal-*
samea, 335.
balsameae, *Abies concolor*, 335.
Abies lasiocarpa, 336.
convexum, *Pinus rigida*, 342.
infestans, *Abies concolor*, 335.
Abies grandis, 335.
planum, *Pinus flexilis*, 340.
taxicolum, *Taxus canadensis*, 345
Phakopsora vitis, grape, 77.
Phlyctaena linicola, flax, 188.

- Phoma bakeriana*, cowpea, 201.
betae, beet, 326.
 sugar beet, 324.
dahliae, *Dahlia* sp., 366.
destructiva, tomato, 265.
 lingum, brussels sprouts, 286.
 cabbage, 287.
mali, apple, 17, 40.
pomi, apple, 33.
 sp., cotton, 311.
 peanut, 330.
Poinsettia sp., 376.
Phomes connatus, peach, 65.
Phomopsis californica, lemon, 96, 98.
 citri (see *Diaporthe citri*), 95.
 grapefruit, 96.
 orange, 96.
 hibisci, *Hibiscus syriacus*, 370.
 juniperovora, *Cupressus arizonica*, 336.
 Cryptomeria japonica, 336.
 Juniperus sabina, 337.
 Juniperus virginiana, 336.
 sordidula, *Ostrya virginiana*, 352.
 vexans, eggplant, 327.
 sp., *Abies grandis*, 335.
 Abies lasiocarpa, 336.
 cranberry, 91.
Phragmidium anders ni, *Potentilla fruticosa*, 383.
 imitans, raspberry, 87.
Phragmidothidea eucalypti, *Eucalyptus* sp., 349.
Phyllachora graminis, *Agropyron repens*, 205.
 gratissima, avocado, 101.
 trifolii, clover, 199.
 sp., *Cinna latifolia*, 381.
Phyllactinia corylea, *Crataegus douglasi*, 349.
 corylea, filbert, 108.
Phyllosticta anthirrhini, *Anthirrhinum majus*, 359.
 batatas, sweet potato, 270.
 berberidis, *Berberis vulgaris*, 360.
 brunnea, *Populus balsamifera*, 352.
 bumeliae, *Bumelia lanuginosa*, 360.
 camelliae, *Camellia japonica*, 362.
 caryae, pecan, 106.
 catalpae, *Catalpa* sp., 348.
 colocasiae, yautia, 333.
 commonsii, *Paeonia* sp., 375.
 deutziae, *Deutzia* sp., 367.
 fraxinicola, *Fraxinus pennsylvanica*, 349.
 hortorum, eggplant, 327.
 kalmicola, *Kalmia latifolia*, 371.
 lappa, *Arctium minus*, 379.
 limitata, apple, 17.
 maculans, *Populus grandidentata*, 352.
 minima, *Acer negundo*, 346.
 pallida, *Silene noctiflora*, 384.
 polygonorum, buckwheat, 191.
 prunicola, plum, 68.
 solitaria, apple, 9, 415.
 sorghina, Johnson grass, 191.
 straminella, rhubarb, 331.
 ulmicola, *Ulmus fulva*, 357.
 vagens, *Smilacina amplexicaulis*, 384.
 violae, *Viola* sp., 378.
 virginianae, plum, 68.
 sp., *Acer palmatum*, 346.
 Begonia sp., 360.
 broom corn, 191.
 Buxus sempervirens, 360.
 Campanula glomerata, 363.
 Cocos plumosus, 365.
 Cydonia japonica, 365.
 Fraxinus sp., 350.
 Ligustrum japonica, 372.
 plum, 69.
 sorghum, 191.
 sour grass, 332.
 sugar cane, 320.
 Viburnum sp., 377.
Phymatotrichum omnivorum, bean, 277.
 potato, 248.
 sweet potato, 270.
Physalospora cydoniae, apple, 415.
 fusca, citrus, 96.
 malorum, apple, 16.
 citrus, 96.
 pear, 48.
 quince, 50.
 rhodina, *Ilex* sp., 370.
 citrus, 96.
 sp., *Cinnamomum camphora*, 349.
Physarum cinereum, *Poa pratensis*, 205.
Physoderma zeae-maydis, corn, 185.
Phytomonas cerasi, cherry, 70.
 medicaginis phaseolicola, bean, 272.
Phytophthora cactorum, apple, 40.
 Lilium spp., 372.
 pear, 48.
 rhubarb, 331.
 infestans, potato, 214, 405.
 tomato, 263.
 nicotinae, tobacco, 317.
 palmivorum, coconut, 108.

- phaseoli*, lima bean, 277.
terrestris, sweet orange, 98.
 tomato, 263.
sp., *Callistephus chinensis*, 362.
 coconut, 109.
 rhubarb, 331.
 tobacco, 316.
Piricularia grisea, *Digitaria sanguinalis*,
 205.
 rice, 187.
Plasmodiophora brassicae, broccoli, 286.
 cabbage, 233.
 cauliflower, 285.
vascularum, sugar cane, 320.
Plasmopara geranii, *Geranium bicknellii*,
 381.
halstedii, sunflower, 204.
nivea, *Cicuta maculata*, 381.
viticola, grape, 73.
Plectodiscella veneta, blackberry, 88.
 dewberry, 89.
 loganberry, 90.
 raspberry, 81.
Plenodomus destruens, sweet potato, 268.
Pleosphaerulina briosiana, alfalfa, 197.
Pleospora herbarum citrorum, apple, 40.
sp., apple, 40.
 lemon, 97.
Pleurotus subaveolatus, apple, 40.
Plowrightia morbosa, cherry, 71.
 plum, 67.
Podosphaera leucotricha, apple, 31.
oxyacanthae, cherry, 71.
 Pokkah bong, sugar cane, 320.
Polyspora lini, flax, 188.
Polyporus ellisianus, *Pinus ponderosa*,
 341.
sulfureus, *Larix occidentalis*, 338.
Polystictus versicolor, peach, 65.
 Premature dropping, fig, 103.
Pseudomonas iridis, *Iris sp.*, 370.
 sorghi, sorghum, 191.
sp., oats, 177.
Pseudoperonospora cubensis, cucumber, 295.
 muskmelon, 290.
 pumpkin, 296.
 squash, 297.
 watermelon, 300.
Pseudopeziza medicaginis, alfalfa, 192.
 ribis, currant, 90.
 gooseberry, 90.
Pseudovalsa lanciformis, *Betula alba*,
 347.
 longipes, *Quercus coccinea*, 354.
Quercus spp., 355.
Psorosis, grapefruit, 101.
 sweet orange, 101.
 tangerine, 101.
Puccinia absinthii, *Artemisia cana*,
 379.
Artemisia dracunculus typica,
 380.
ambigua, *Galium aparine*, 381.
anomala, barley, 163.
antirrhini, *Antirrhinum majus*, 359.
asparagi, asparagus, 325.
campanulae, *Camparula scouleri*,
 363.
clematidis, *Agropyron repens*, 205.
Clematis sp., 364.
Elymus glaucus, 205.
coronata, *Festuca*, *elatior*, 205.
 oats, 173, 401.
cyani, *Centaurea cyanus*, 363.
dispersa, rye, 156, 397.
epiphylla, *Poa pratensis*, 205.
Poa sp., 205.
gentiana, *Gentiana affinis*, 381.
Gentiana puberula, 381.
glumarum, *Aegilops cylindrica*, 205.
 barley, 168.
Elymus sp., 205.
 wheat, 145.
graminis, *Agropyron repens*, 205.
Agrostis palustris, 205.
 barley, 162, 400.
Bromus secalinus, 206.
Festuca elatior, 206.
Hordeum jubatum, 206.
 oats, 171, 401.
Phleum pratense, 206.
Poa compressa, 206.
Poa pratensis, 206.
 rye, 156, 397.
 wheat, 133, 395.
grossulariae, currant, 90.
 gooseberry, 90.
helianthi-mollis, sunflower, 204.
hibisciata, *Althaea rosea*, 358.
iridis, *Iris sp.*, 371.
jussiaeae, *Ludwigia polycarpa*, 382.
lolii festucae, *Elaeagnus angustifolia*, 349.
malvacearum, *Althaea rosea*, 358.
myrtillii, *Vaccinium scoparium*,
 385.
patruelis, *Hieracium canadense*,
 382.

- Lactuca villosa*, 382.
peckii, *Oenothera pumila*, 382.
sorghii, corn, 181, 403.
simplex, barley, 400.
smilacis, *Smilax bona-nox*, 377.
suaveolens, *Cirsium arvense*, 381.
triticina, wheat, 141, 395.
violae, *Viola tricolor*, 378.
xanthii, *Ambrosia trifida*, 379.
spp., *Chrysanthemum spp.*, 364.
Pucciniastrum americanum, *Rubus idaeus aculeatissimus*, 87.
arcticum, *Rubus triflorus*, 384.
myrtillii, *Vaccinium membranaceum*, 385.
Vaccinium scoparium, 385.
Pucciniopsis caricae, papaya, 103.
Puffing, tomato, 265.
Purple leaf spot, wheat, 155.
Pyrenopeziza medicaginis, alfalfa, 192.
Pyrenophora teres, barley, 166.
Pythiacystis citrophthora, avocado, 101.
grapefruit, 98.
lemon, 98.
orange, 97.
sweet orange, 98.
Pythium aphanidermatum, eggplant, 327.
squash, 297.
debaryanum, muskmelon, 293.
soybean, 202.
spinach, 333.
tobacco, 317.
spp., bean, 277.
Cosmos bipinnatus, 365.
cucumber, 296.
Dahlia sp., 366.
Lathyrus odoratus, 372.
lettuce, 303.
lima bean, 278.
parsley, 329.
pepper, 331.
squash, 297.
sweet potato, 270.
tobacco, 317.
tomato, 265.
watermelon, 300.
- Q
- R
- Ramularia actaeae*, *Actaea rubra neglecta*, 379.
anomala, buckwheat, 191.
artemisiae, *Artemisia caudata*, 379.
arvensis, *Potentilla canadensis*, 383.
asteris, *Aster azureus*, 380.
Aster paniculatus, 380.
Aster sagittifolius, 380.
Aster tradescanti, 380.
barbareae, *Barbarea stricta*, 380.
gracilipes, *Cornus alternifolia*, 349.
heraclei, *Heracleum lanatum*, 382.
lappulae, *Cynoglossum officinale*, 381.
lophanthi, *Agastache urticifolia*, 379.
melampyri, *Melampyrum lineare*, 382.
pastinacae, parsnip, 329.
pratense, *Rumex persicarioides*, 384.
reticulata, *Osmorrhiza longistylis*, 383.
smilacinae, *Smilacina amplexicaulis*, 384.
Smilacina stellata, 384.
vaccinii, *Vaccinium canadense*, 385.
Vaccinium pennsylvanicum, 385.
spp., *Pyrus spp.*, 40.
Razoumofskya americana, *Pinus flexilis*, 340.
laricis, *Larix sp.*, 338.
Rhabditis sp., *Dahlia sp.*, 366.
Rhizoctonia crocorum, carrot, 326.
microsclerotia, fig, 103.
solani (see *Corticium vagum*), 230.
potato, 405.
tuliparum, *Iris sp.*, 371.
spp., apple, 40.
Cosmos bipinnatus, 365.
muskmelon, 293.
okra, 329.
Papaver nudicaule, 375.
parsley, 329.
Rhodendron ponticum, 376.
Senecio sp., 376.
spinach, 333.
strawberry, 80.
sunflower, 204.
sugar cane, 319.
sweet potato, 270.
Tulipa sp., 377.
Rhizopus nigricans, peach, 65.
strawberry, 80.
sweet potato, 269.
spp., avocado, 101.
cotton, 311.
Rhynchosporium secalis, barley, 166.
rye, 159.

Rhytisma acerinum, *Acer dasycarpum*, 345.
nevale, *Populus* spp., 353.
salicinum, *Salix lutea*, 356.
 Ring spot, tobacco, 317.
 Root burn, strawberry, 80.
 Root rot, alfalfa, 195.
 clover, 199.
Pseudotsuga douglasii, 344.
 Root rots, bean, 274.
 wheat, 156.
 Rosette, apple, 43.
 peach, 62.
 pecan, 106.
 Rough bark, pear, 49.
 Rugose mosaic, potato, 238.
 Runting, *Fahlia* sp., 366.
 Rust (see malnutrition), cotton, 310.

S

Salt water injury, *Pinus strobus*, 342.
 Scab, wheat, 118, 155.
 Scald, apple, 44.
 peach, 66.
 Scaly bark (see nailhead rust), 101.
Schizophyllum commune, apple, 40.
Scleroderma bacillifera, *Pinus monticola*,
 340.
Sclerotinia carunculoides, mulberry, 93.
 erythroniae, *Erythronium americanum*,
 381.
 fructicola, almond, 108.
 apple, 40.
 apricot, 72.
 cherry, 69, 422.
 peach, 50, 417.
 plum, 67, 421.
 prune, 421.
 geranii, *Geranium maculatum*, 381.
 gracilis, *Erythronium albidum*, 381.
 minor, celery, 302.
 lettuce, 303.
 oxycocci, cranberry, 91.
 sclerotiorum, *Antirrhinum majus*, 359.
 bean, 277.
 cabbage, 285.
 celery, 302.
 eggplant, 327.
 endive, 328.
 Iris sp., 371.
 lemon, 97.
 lettuce, 303.
 Myosotis sp., 375.
 pea, 305.
 radish, 288.
 Schizanthus sp., 376.
 tobacco, 317.
 tomato, 265.
 trifoliorum, alfalfa, 197.
 clover, 199.
 sp., *Antirrhinum majus*, 359.
 fig, 103.
 lettuce, 303.
 sunflower, 204.
Sclerotiopsis testudinea, *Paëonia* sp.,
 375.
Sclerotium bataticola, sweet potato,
 270.
 delphinii, *Aconitum* sp., 358.
 oryzae, rice, 187.
 rhizodes, wheat, 155.
 rolfsii, *Amaryllis* sp., 358.
 Antirrhinum majus, 359.
 Aquilegia sp., 359.
 bean, 277.
 beet, 326.
 cabbage, 285.
 carrot, 326.
 Chrysanthemum spp., 364.
 Dahlia sp., 366.
 eggplant, 327.
 guar, 204.
 muskmelon, 293.
 Narcissus sp., 373.
 oats, 177.
 peanut, 330.
 pepper, 331.
 potato, 248.
 sugar beet, 324.
 sweet potato, 270.
 Tagetes sp., 377.
 tomato, 265.
 Viola sp., 378.
 watermelon, 300.
 sclerotiorum, pea, 305.
 sp., *Delphinium* sp., 366.
 Eupatorium sp., 368.
 Iris sp., 371.
 watermelon, 300.
 Scorch, *Picea sitchensis*, 339.
Scorias spongiosa, *Pinus strobus*, 342.
Scolecotrichum graminis, *Poa pratensis*,
 206.
 Scutellum rot, corn, 186.
Sebacina cokeri, *Quercus* spp., 355.
 Seed piece decay, potato, 249.
 Seed treatment, cereals, 111.
Septobasidium pedicellatum, *Fraxinus*, 350.

- sp., 350.
 pinicola, *Pinus monticola*, 340.
Septogloeum salicinum, *Salix humilis*,
 356.
Septoria apii, celery, 301.
 astragalicola, *Astragalus* sp., 380.
 atropurpurea, *Aster salicifolius*,
 380.
 bataticola, sweet potato, 270.
 brunellae, *Prunella vulgaris*, 383.
 chrysanthemella, *Chrysanthemum* spp.,
 364.
 dianthi, *Dianthus caryophyllus*, 367.
 divaricata, *Phlox* spp., 375.
 erectitis, *Erechtites hieracifolia*,
 381.
 gaillardiae, *Gaillardia aristata*,
 368.
 gei, *Geum canadense*, 382.
Geum strictum, 382.
Geum virginianum, 382.
 gladioli, *Gladiolus* sp., 369.
 glycines, soybean, 202.
 grossulariae, gooseberry, 91.
 helianthi, sunflower, 204.
 infuscata, *Lepachys pinnata*, 382.
 lactucae, lettuce, 304.
 lycopersici, tomato, 253, 410.
 lycopi, *Lycopus americanus*, 382.
Lycopus uniflorus, 382.
 malvicola, *Malva rotundifolia*, 382.
 margaritaceae, *Anaphalis margarita-*
tacea, 379.
 nodorum, wheat, 149.
 ornithogali, *Ornithogalum* sp., 374.
 pini, *Pinus palustris*, 341.
 pisi, pea, 307.
 polygonorum, *Persicaria persicaria*,
 383.
Polygonum sp., 383.
 psilostega, *Galium boreale*, 381.
 rubi, *Rubus triflorus*, 384.
 salicicola, *Salix humilis*, 356.
 secalis, rye, 159.
 tritici, wheat, 150.
 violae, *Viola lanceolata*, 385.
 Slime flux, *Populus* spp., 353.
 Soft nose, olive, 102.
Sorosporium reilianum, corn, 186.
 sorghum, 190.
 syntherismae, *Panicum proliferum*,
 206.
 Souring of fruit, fig, 104.
Sphaceloma ampelinum, grape, 77.
 fawcetti, grapefruit, 94.
 lemon, 94.
 sp., avocado, 101.
Sphacelotheca cruenta, sorghum, 190.
 sorghi, sorghum, 189.
Sphaerodothis neowashingtoniae, Wash-
 ingtonia sp., 378.
Sphaeronema fimbriatum, sweet potato,
 409.
Sphaeropsis amplispora, *Acer dasycar-*
pum, 345.
 cercidis, *Cercis canadensis*, 349.
 lycii, *Lycium halimifolium*, 372.
 ulmicola, *Ulmus* sp., 357.
 vincae, *Vinca* sp., 378.
 sp., *Populus* spp., 353.
Prunus glandulosa, 376.
Sphaerotheca humuli, raspberry, 87.
 strawberry, 79.
 mors-uvae, gooseberry, 91.
 pannosa, peach, 65.
 Spindle tuber, potato, 238, 243.
 Spindling sprout, potato, 249.
Spondylocladium atrovirens, potato, 249.
Spongospora subterranea, potato, 237.
Sporotrichum citri, (see *Sphaceloma*
fawcetti), 94.
 Spot necrosis, apple, 43.
 Spray injury, apple, 37.
 grapefruit, 100.
 orange, 100.
 peach, 62.
 tangerine, 100.
Sphaceloma fawcetti, Satsuma orange,
 94.
 Sprout tubers, potato, 250.
 Stem rust, barley, 159.
Stagnospora petasitidis, *Petasites*
palmatus, 383.
Stegopezizella balsamae (see *Phacidium*
balsamae), 335.
 Stem-end browning, potato, 250.
 Stem-end rot, potato, 250.
 Stem rust, barley, 159.
 oats, 168.
 wheat, 115, 116.
Stereum purpureum, apple, 41.
Euonymus japonicus, 368.
 Stigmonose, apple, 44.
 Stinking smut, wheat, 115, 117, 125,
 126.
 Storage rots, sweet potato, 270.
 Streak, potato, 246.
 raspberry, 83.

tomato, 260.
 Stripe, barley, 159.
 wheat, 155.
 Stripe of rye leaves, rye, 159.
 Strumella coryneoides, Quercus spp., 355.
 Stunt, Dahlia sp., 366.
 Sun scald, apple, 44.
 Sun scorch, Buxus sempervirens, 360.
 Fraxinus sp., 350.
 Sydowia dothideoides, Populus tremuloides,
 353.
 Prunus demissa melanocarpa, 353.
 Synchytrium aureum, Artemisia biennis,
 379.
 endobioticum, potato, 234.

T

Taphrina coerulescens, Quercus rubra, 354.
 Quercus velutina, 354.
 Quercus virginiana, 355.
 Quercus spp., 355.
 strutiopteridis, Onoclea strutiopteris,
 382.
 ulmi, Ulmus americana, 357.
 Thick leaf, tobacco, 317.
 Thielavia basicola, Lathyrus odoratus,
 372.
 tobacco, 313.
 Thielaviopsis paradoxa, coconut, 109.
 sp., coconut, 109.
 Thyronectria denigrata, Gleditsia tria-
 canthos, 350.
 Tilletia asperifolia, Sporobolus asperi-
 folia, 206.
 holci, Notholcus lanatus, 206.
 horrida, rice, 187.
 laevis, wheat, 115, 396.
 tritici, wheat, 115, 395.
 Tipburn, lettuce, 304.
 potato, 246, 407.
 Tolyposporium bullatum, Echinochloa crus-
 galli, 206.
 Trametes peckii, apple, 41.
 Tranzschelia pruni-spinosae, plum, 69.
 punctata, Anemone coronaria, 358.
 peach, 65.
 Trichoderma lignorum, lemon, 97.
 Tuberculina maxima, Pinus monticola, 340.
 Tubercinia clintoniae, Streptopus roseus,
 384.
 Tylenchus dipsaci, alfalfa, 195.
 clover, 199.
 garlic, 328.

Narcissus sp., 374.
 Phlox spp., 376.
 Physalis pubescens, 383.
 potato, 249.
 Solanum villosum, 384.
 Solidago uliginosa, 384.
 strawberry, 80.
 semipenetrans, grapefruit, 99.
 similis, sugar cane, 320.
 tritici, wheat, 154.
 Tympanis buchsii, Pinus monticola,
 340.
 Typhula graminum, wheat, 155.

U

Uncinula australiana, Lagerstroemia
 indica, 371.
 necator, grape, 74.
 Undetermined disease, pear, 305.
 Uneven ripening, grape, 77.
 Urocystis cepulae, onion, 278.
 flowersii, Anticlea elegans, 379.
 occulta, rye, 158, 397.
 tritici, wheat, 132.
 Uromyces appendiculatus, bean, 274.
 bidentis, Bidens sp., 380.
 caryophyllinus, Dianthus caryo-
 phyllus, 367.
 fallens, red clover, 199.
 hybridi, alsike clover, 199.
 medicaginis, alfalfa, 197.
 seditiosus, Aristida tuberculosa,
 379.
 trifolii, alsike clover, 199.
 red clover, 199.
 repentis, white clover, 199.
 Urophlyctis alfalfae, alfalfa, 198.
 Ustilaginoidea sp., corn, 186.
 Ustilago avenae, oats, 168, 401.
 bromivora, Bromus sterilis, 206.
 Bromus tectorum, 206.
 claytoniae, Claytonia linearis, 381.
 crameri, Chaetochloa italica, 206.
 crus-galli, Echinochloa crus-galli,
 206.
 hordei, barley, 160, 399.
 hypodytes, Eriocoma cuspidata, 206.
 levis, oats, 168, 401.
 lorentziana, Hordeum jubatum, 206.
 nuda, barley, 161, 399.
 rabenhorstiana, Digitaria sangui-
 nalis, 206.
 striaeformis, Dactylis glomerata, 206

Phleum pratense, 206.
 Poa pratensis, 206.
 tritici, rye, 158.
 wheat, 128, 396.
 zaeae, corn, 177, 403.

V

Valsa leucostoma, apple, 41.
 Veluticeps fusca, Pinus ponderosa, 341.
 Venturia compacta, cranberry, 91.
 inaequalis, apple, 3, 416.
 lanca, Chamaecyparis nootkatensis,
 336.
 pyrina, pear, 47, 419.
 Vermicularia dematium, ginseng, 328.
 liliacearum, Smilacina stellata,
 384.
 trichella, Hedera helix, 369.
 Verticillium albo-atrum, eggplant, 327.
 loganberry, 90.
 okra, 329.
 potato, 233.
 raspberry, 85.
 Solanum floridum, 327.
 tomato, 265.
 buxi, Buxus sempervirens, 360.
 sp., Acer sp., 347.
 Virus diseases, potato, 237.
 Volutella fructi, apple, 41.

W

Wart, peach, 66.
 Water core, apple, 44.
 Western yellow blight, tomato, 257.
 Whiptail, cauliflower, 285.
 White spot, alfalfa, 196.
 Wilt, citrus, 99.

lemon, 99.
 Wilting, cabbage, 285.
 Winter injury, alfalfa, 195.
 apple, 38.
 Juniperus spp., 338.
 peach, 64.
 Pinus strobus, 342.
 Pinus sylvestris, 343.
 raspberry, 86.
 Thuja plicata, 345.
 Witches' broom, potato, 245.

X

Xylaria digitata, apple, 37.
 hypoxylon, apple, 37.
 polymorpha, apple, 37.
 Quercus spp., 355.
 sp., apple, 36.

Y

Yellow dwarf, potato, 246.
 Yellows, alfalfa, 196.
 buckwheat, 191.
 Calendula officinalis, 361.
 Callistephus chinensis, 362.
 Chrysanthemum spp., 364.
 Juglans nigra, 351.
 lettuce, 304.
 peach, 60, 417.
 salsify, 332.
 spinach, 333.
 strawberry, 80.

Z

Zignoella ostiolata, Artemisia triden-
 tata, 380.

ERRATA AND EXPLANATION

Page

- 164 Read "Helminthosporium gramineum" instead of "Heiminthosporium gramineum".
- 184 Read "Gibberella saubinetii" instead of "G. saubinetti".
- 199 Read "Tylenchus dipsaci" instead of "Tylenshus dipsaci".
- 202 Read "Bacterium phaseoli" instead of "B. phaseolii".
- 206 Read "Scolecotrichum graminis" instead of "Scolectrichum graminis".
- 206 Read "Chaetochloa italica" instead of "Chaerochloa italica".
- 248 Read "Bacillus carotovorus" instead of "B. caratovororus".
- 249 Read "Spondylocladium atrovirens" instead of "S. atrovirons".
- 288 Read "Bacillus carotovorus" instead of "B. caratovororus".
- 311 Read "Kuehneola gossypii" instead of "Kuhneola gossypii".
- 338 Read "Picea engelmani" instead of "P. engelmannii".
- 344 Read "Pseudotsuga douglasi" instead of "P. douglasii".
- 349 Read "Cinnamomum camphora" instead of "Cinnamonum camphora".
- 363 Read "Fusarium conglutinans callistephi" instead of "Fusarium conglutinans callestephi".
- 365 Read "Cucurbita sp." instead of "Curcubita sp."
- 367 Read "Dianthus caryophyllus" instead of "D. caryophllus".
- 369 Read "Botrytis sp." instead of "Botrytus sp."
- 371 Read "Microdiplodia sp." instead of "Microdipoldia sp."
- 373 "Malus ioensis plena" no fungus given - should be Gymnosporangium juniperi-virginianae Schw.
- 373 Read "Myosotis sp." instead of "Mysotis sp."
- 374 Read "Mycosphaerella pachistimae" instead of "M. pachystimae".
- 378 Read "Erysiphe cichoracearum" instead of "E. cichorocearum".
- 403 Read "Gibberella saubinetii" instead of "G. saubinetti".